



SGH-*-MM

HELICAL FLUTE HOLDER WITH TAPER SHANK 锥柄螺旋槽铲钻刀杆

- 刀杆内冷却结构, 具有优良的冷却效果与排屑性能;
- 可换刀片接口, 在线更换刀片。
- The inner cooling structure of holder has excellent cooling effect and chip removal performance;
- Interchangeable insert structure can make inserts replacement on the machine tool directly.



单位(Unit): mm

型号 TYPE	接口 CONNECTOR	匹配刀片直径 DC	尺寸 SIZE						配件 ACCESSORIES			
			L1	LF	LB	OAL	MT	G2 inch	RCA			
SGH-Y0-MMMT2-20N	Y0	9.5~11.49 0.374"~0.452"	32	52	88	160	2	Rc1/16	SH-1905R	2102047	2502018	
SGH-Y0-MMMT2-40N			60	80	117	189	2	Rc1/16	SH-1905R	2102047	2502018	
SGH-Y0-MMMT2-45N			86	106	142	214	2	Rc1/16	SH-1905R	2102047	2502018	
SGH-Y0-MMMT2-50N			111	131	167	240	2	Rc1/16	SH-1905R	2102047	2502018	
SGH-Z0-MMMT2-20N	Z0	11.50 ~ 12.97 0.453"~0.511"	32	52	88	160	2	Rc1/16	SH-1905R	2102048	2502018	
SGH-Z0-MMMT2-40N			60	80	117	189	2	Rc1/16	SH-1905R	2102048	2502018	
SGH-Z0-MMMT2-45N			86	106	142	214	2	Rc1/16	SH-1905R	2102048	2502018	
SGH-Z0-MMMT2-50N			111	131	167	240	2	Rc1/16	SH-1905R	2102048	2502018	
SGH-00-MMMT2-20N	00	12.98 ~ 15.49 0.511"~0.61"	35	56	92	164	2	Rc1/16	SH-1905R	2102230	2502017	
SGH-00-MMMT2-40N			64	84	121	193	2	Rc1/16	SH-1905R	2102230	2502017	
SGH-00-MMMT2-45N			89	110	146	218	2	Rc1/16	SH-1905R	2102230	2502017	
SGH-00-MMMT2-50N			114	135	172	244	2	Rc1/16	SH-1905R	2102230	2502017	
SGH-00-MMMT2-60N			178	199	235	307	2	Rc1/16	SH-1905R	2102230	2502017	
SGH-05-MMMT2-20N	05	15.50 ~ 17.85 0.61"~0.703"	35	56	92	164	2	Rc1/16	SH-1905R	2102046	2502017	
SGH-05-MMMT2-40N			64	84	121	193	2	Rc1/16	SH-1905R	2102046	2502017	
SGH-05-MMMT2-45N			89	110	146	218	2	Rc1/16	SH-1905R	2102046	2502017	
SGH-05-MMMT2-50N			114	135	172	244	2	Rc1/16	SH-1905R	2102046	2502017	
SGH-05-MMMT2-60N			178	199	235	307	2	Rc1/16	SH-1905R	2102046	2502017	
SGH-10-MMMT3-20N	10	17.86 ~ 21.99 0.703"~0.866"	70	98	143	233	3	Rc1/8	SH-2540R	2102049	2502016	
SGH-10-MMMT3-30N			121	149	193	283	3	Rc1/8	SH-2540R	2102049	2502016	
SGH-10-MMMT3-40N			172	200	244	334	3	Rc1/8	SH-2540R	2102049	2502016	
SGH-10-MMMT3-45N			219	251	295	385	3	Rc1/8	SH-2540R	2102049	2502016	
SGH-10-MMMT3-50N			273	302	346	436	3	Rc1/8	SH-2540R	2102049	2502016	
SGH-10-MMMT3-60N			363	395	439	529	3	Rc1/8	SH-2540R	2102049	2502016	



SGH-*-MM

HELICAL FLUTE HOLDER WITH TAPER SHANK

锥柄螺旋槽铲钻刀杆

- 刀杆内冷却结构, 具有优良的冷却效果与排屑性能;
- 可换刀片接口, 在线更换刀片。

- The inner cooling structure of holder has excellent cooling effect and chip removal performance;
- Interchangeable insert structure can make inserts replacement on the machine tool directly.





单位(Unit): mm

型号 TYPE	接口 CONNECTOR	匹配刀片直径 DC	尺寸 SIZE						配件 ACCESSORIES			
			L1	LF	LB	OAL	MT	G2 inch	RCA			
SGH-15-MMMT3-20N	15	22.00 ~ 24.60 0.866"~0.969"	70	98	142	232	3	Rc1/8	SH-2540R	2102049	2502016	
SGH-15-MMMT3-30N			121	149	193	283	3	Rc1/8	SH-2540R	2102049	2502016	
SGH-15-MMMT3-40N			172	200	244	334	3	Rc1/8	SH-2540R	2102049	2502016	
SGH-15-MMMT3-45N			219	251	295	385	3	Rc1/8	SH-2540R	2102049	2502016	
SGH-15-MMMT3-50N			273	302	346	436	3	Rc1/8	SH-2540R	2102049	2502016	
SGH-15-MMMT3-60N			363	395	439	529	3	Rc1/8	SH-2540R	2102049	2502016	
SGH-20-MMMT4-20N	20	24.61 ~ 29.99 0.969"~1.181"	86	114	160	274	4	Rc1/8	SH-2540R	2102045	2502020	
SGH-20-MMMT4-30N			137	165	211	325	4	Rc1/8	SH-2540R	2102045	2502020	
SGH-20-MMMT4-40N			187	216	262	375	4	Rc1/8	SH-2540R	2102045	2502020	
SGH-20-MMMT4-45N			238	267	313	426	4	Rc1/8	SH-2540R	2102045	2502020	
SGH-20-MMMT4-50N			289	318	364	477	4	Rc1/8	SH-2540R	2102045	2502020	
SGH-20-MMMT4-60N			400	429	475	588	4	Rc1/8	SH-2540R	2102045	2502020	
SGH-25-MMMT4-20N	25	30.00 ~ 35.50 1.181"~1.398"	86	114	168	281	4	Rc1/4	SH-3175R	2102045	2502020	
SGH-25-MMMT4-30N			137	165	218	332	4	Rc1/4	SH-3175R	2102045	2502020	
SGH-25-MMMT4-40N			187	216	269	383	4	Rc1/4	SH-3175R	2102045	2502020	
SGH-25-MMMT4-45N			238	267	320	433	4	Rc1/4	SH-3175R	2102045	2502020	
SGH-25-MMMT4-50N			289	318	371	484	4	Rc1/4	SH-3175R	2102045	2502020	
SGH-25-MMMT4-60N			400	429	482	595	4	Rc1/4	SH-3175R	2102045	2502020	
SGH-30-MMMT4-20N	30	35.51 ~ 41.99 1.398"~1.653"	121	152	206	319	4	Rc1/4	SH-3175R	2102044	2502015	
SGH-30-MMMT4-30N			165	197	251	364	4	Rc1/4	SH-3175R	2102044	2502015	
SGH-30-MMMT4-40N			210	241	295	408	4	Rc1/4	SH-3175R	2102044	2502015	
SGH-30-MMMT4-45N			260	292	346	459	4	Rc1/4	SH-3175R	2102044	2502015	
SGH-30-MMMT4-50N			349	381	435	548	4	Rc1/4	SH-3175R	2102044	2502015	
SGH-30-MMMT4-70N			559	590	644	757	4	Rc1/4	SH-3175R	2102044	2502015	
SGH-35-MMMT4-20N	35	42.00 ~ 47.99 1.654"~1.899"	121	152	206	319	4	Rc1/4	SH-3175R	2102044	2502015	
SGH-35-MMMT4-30N			165	197	251	364	4	Rc1/4	SH-3175R	2102044	2502015	
SGH-35-MMMT4-40N			210	241	295	408	4	Rc1/4	SH-3175R	2102044	2502015	
SGH-35-MMMT4-45N			260	292	346	459	4	Rc1/4	SH-3175R	2102044	2502015	
SGH-35-MMMT4-50N			349	381	435	548	4	Rc1/4	SH-3175R	2102044	2502015	
SGH-35-MMMT4-70N			559	590	644	757	4	Rc1/4	SH-3175R	2102044	2502015	

SGH-*-MM

HELICAL FLUTE HOLDER WITH TAPER SHANK 锥柄螺旋槽铲钻刀杆

- 刀杆内冷却结构, 具有优良的冷却效果与排屑性能;
- 可换刀片接口, 在线更换刀片。
- The inner cooling structure of holder has excellent cooling effect and chip removal performance;
- Interchangeable insert structure can make inserts replacement on the machine tool directly.



单位(Unit): mm

型号 TYPE	接口 CONNECTOR	匹配刀片直径 DC	尺寸 SIZE						配件 ACCESSORIES			
			L1	LF	LB	OAL	MT	G2 inch	RCA			
SGH-40-MMMT5-20N	40	48.00 ~ 55.99 1.89" ~ 2.204"	130	165	219	364	5	Rc1/4	SH-4445R	2102044	2502015	
SGH-40-MMMT5-40N			232	267	321	465	5	Rc1/4	SH-4445R	2102044	2502015	
SGH-40-MMMT5-45N			350	385	445	589	5	Rc1/4	SH-4445R	2102044	2502015	
SGH-40-MMMT5-50N			422	457	511	656	5	Rc1/4	SH-4445R	2102044	2502015	
SGH-40-MMMT5-70N			625	660	714	859	5	Rc1/4	SH-4445R	2102044	2502015	
SGH-45-MMMT5-20N	45	56.00 ~ 65.09 2.205" ~ 2.563"	130	165	219	364	5	Rc1/4	SH-4445R	2102044	2502015	
SGH-45-MMMT5-40N			232	267	321	465	5	Rc1/4	SH-4445R	2102044	2502015	
SGH-45-MMMT5-45N			350	385	445	589	5	Rc1/4	SH-4445R	2102044	2502015	
SGH-45-MMMT5-50N			422	457	511	656	5	Rc1/4	SH-4445R	2102044	2502015	
SGH-45-MMMT5-70N			625	660	714	859	5	Rc1/4	SH-4445R	2102044	2502015	
SGH-50-MMMT5-20N	50	63.50 ~ 76.99 2.5" ~ 3.031"	172	216	287	430	5	Rc1/2	SH-5715R	2102043	2502019	
SGH-50-MMMT5-40N			273	318	389	532	5	Rc1/2	SH-5715R	2102043	2502019	
SGH-50-MMMT5-50N			464	508	579	722	5	Rc1/2	SH-5715R	2102043	2502019	
SGH-55-MMMT5-20N	55	77.00 ~ 89.09 3.031" ~ 3.507"	172	216	287	430	5	Rc1/2	SH-5715R	2102043	2502019	
SGH-55-MMMT5-40N			273	318	389	532	5	Rc1/2	SH-5715R	2102043	2502019	
SGH-55-MMMT5-45N			368	413	484	627	5	Rc1/2	SH-5715R	2102043	2502019	
SGH-55-MMMT5-50N			464	508	579	722	5	Rc1/2	SH-5715R	2102043	2502019	
SGH-70-MMMT5-20N	70	89.10 ~ 101.60 3.508" ~ 4"	172	225	297	440	5	Rc1/2	SH-5715R	2102043	2502019	
SGH-70-MMMT5-40N			273	327	399	541	5	Rc1/2	SH-5715R	2102043	2502019	
SGH-70-MMMT5-45N			414	469	540	683	5	Rc1/2	SH-5715R	2102043	2502019	
SGH-70-MMMT5-50N			556	610	681	824	5	Rc1/2	SH-5715R	2102043	2502019	
SGH-80-MMMT5-20N	80	101.61 ~ 114.30 4" ~ 4.5"	172	225	297	440	5	Rc1/2	SH-5715R	2102043	2502019	
SGH-80-MMMT5-40N			273	327	399	541	5	Rc1/2	SH-5715R	2102043	2502019	
SGH-80-MMMT5-45N			414	469	540	683	5	Rc1/2	SH-5715R	2102043	2502019	
SGH-80-MMMT5-50N			556	610	681	824	5	Rc1/2	SH-5715R	2102043	2502019	