


S10-G HELICAL FLUTE HOLDER WITH ONE FLAT SHANK

侧固柄螺旋槽S钻刀杆

- 内冷却结构, 优良冷却效果与排屑性能;
 - 便捷与高精度的刀片接口, 可在线更换刀片;
 - 侧固式刀柄, 设有3D、5D、8D系列。
- Internal cooling structure, excellent cooling effect and chip removal performance;
 - Convenient and high-precision blade interface, the blade can be replaced directly;
 - Side-locked tool holder, with 3D, 5D, 8D series.




单位(Unit): mm

型号 MODEL	DC	尺寸 SIZE					配件 ACCESSORIES	
		LU	DCON	LF	OAL	LS		
S10-G1000-03L16	10.0~10.49	31.5	16	48	96	48	2102223	2502035
S10-G1050-03L16	10.5~10.99	33.0	16	50	98	48	2102223	2502035
S10-G1100-03L16	11.0~11.49	34.5	16	52	100	48	2102203	2502035
S10-G1150-03L16	11.5~11.99	36.0	16	54	102	48	2102203	2502035
S10-G1200-03L16	12.0~12.49	37.5	16	57	105	48	2102203	2502035
S10-G1250-03L16	12.5~12.99	39.0	16	59	107	48	2102204	2502035
S10-G1300-03L16	13.0~13.49	40.5	16	61	109	48	2102204	2502035
S10-G1350-03L16	13.5~13.99	42.0	16	63	111	48	2102204	2502035
S10-G1400-03L16	14.0~14.49	43.5	16	65	113	48	2102205	2502036
S10-G1450-03L16	14.5~14.99	45.0	16	67	115	48	2102205	2502036
S10-G1500-03L20	15.0~15.99	48.0	20	72	122	50	2102205	2502036
S10-G1600-03L20	16.0~16.99	51.0	20	77	127	50	2102206	2502036
S10-G1700-03L20	17.0~17.99	54.0	20	81	131	50	2102206	2502036
S10-G1800-03L25	18.0~18.99	57.0	25	85	141	56	2102225	2502037
S10-G1900-03L25	19.0~19.99	60.0	25	90	146	56	2102207	2502037
S10-G2000-03L25	20.0~20.99	63.0	25	94	150	56	2102207	2502037
S10-G2100-03L25	21.0~21.99	66.0	25	98	154	56	2102208	2502037
S10-G2200-03L25	22.0~22.99	69.0	25	102	158	56	2102208	2502037
S10-G2300-03L25	23.0~23.99	72.0	25	107	163	56	2102208	2502037
S10-G2400-03L32	24.0~24.99	75.0	32	112	172	60	2102209	2502038
S10-G2500-03L32	25.0~25.99	78.0	32	116	176	60	2102209	2502038
S10-G2600-03L32	26.0~26.99	81.0	32	121	181	60	2102210	2502038
S10-G2700-03L32	27.0~27.99	84.0	32	125	185	60	2102210	2502038
S10-G2800-03L32	28.0~28.99	87.0	32	129	189	60	2102211	2502039
S10-G2900-03L32	29.0~29.99	90.0	32	133	193	60	2102211	2502039
S10-G3000-03L32	30.0~30.99	93.0	32	138	198	60	2102211	2502039
S10-G3100-03L32	31.0~31.99	96.0	32	142	202	60	2102212	2502040
S10-G3200-03L32	32.0~32.99	99.0	32	146	206	60	2102212	2502040
S10-G3300-03L32	33.0~33.99	102.0	32	151	211	60	2102212	2502040
S10-G3400-03L40	34.0~34.99	105.0	40	156	226	70	2102213	2502040
S10-G3500-03L40	35.0~35.99	108.0	40	160	230	70	2102213	2502040
S10-G3600-03L40	36.0~36.99	111.0	40	164	234	70	2102213	2502040
S10-G3700-03L40	37.0~37.99	114.0	40	169	239	70	2102214	2502041
S10-G3800-03L40	38.0~38.99	117.0	40	173	243	70	2102214	2502041
S10-G3900-03L40	39.0~39.99	123.0	40	182	252	70	2102214	2502041
S10-G4000-03L40	40.0~40.99	123.0	40	182	252	70	2102214	2502041
S10-G4100-03L40	41.0~41.99	126.0	40	186	256	70	2102214	2502041
S10-G4200-03L40	42.0~42.99	129.0	40	190	260	70	2102214	2502041
S10-G4300-03L40	43.0~43.99	132.0	40	194	264	70	2102214	2502041
S10-G4400-03L40	44.0~44.99	135.0	40	199	269	70	2102214	2502041
S10-G4500-03L50	45.0~45.99	138.0	50	205	285	80	2102214	2502041
S10-G4600-03L50	46.0~46.99	141.0	50	209	289	80	2102214	2502041
S10-G4700-03L50	47.0~47.99	144.0	50	214	294	80	2102214	2502041
S10-G4800-03L50	48.0~48.99	147.0	50	218	298	80	2102214	2502041
S10-G4900-03L50	49.0~49.99	150.0	50	222	302	80	2102214	2502041
S10-G5000-03L50	50.0~50.99	153.0	50	226	306	80	2102214	2502041
S10-G5100-03L50	51.0~51.99	156.0	50	231	311	80	2102214	2502041
S10-G5200-03L50	52.0~52.99	159.0	50	235	315	80	2102214	2502041
S10-G5300-03L50	53.0~53.99	162.0	50	239	319	80	2102214	2502041
S10-G5400-03L50	54.0~54.99	165.0	50	243	323	80	2102214	2502041

S10-G HELICAL FLUTE HOLDER WITH ONE FLAT SHANK

侧固柄螺旋槽S钻刀杆

- 内冷却结构, 优良冷却效果与排屑性能;
 - 便捷与高精度的刀片接口, 可在线更换刀片;
 - 侧固式刀柄, 设有3D、5D、8D系列。
- Internal cooling structure, excellent cooling effect and chip removal performance;
 - Convenient and high-precision blade interface, the blade can be replaced directly;
 - Side-locked tool holder, with 3D, 5D, 8D series.




单位(Unit): mm

型号 MODEL	DC	尺寸 SIZE					配件 ACCESSORIES	
		LU	DCON	LF	OAL	LS		
S10-G1000-05L16	10.0~10.49	52.5	16	69	117	48	2102223	2502035
S10-G1050-05L16	10.5~10.99	55.0	16	72	120	48	2102223	2502035
S10-G1100-05L16	11.0~11.49	57.5	16	75	123	48	2102203	2502035
S10-G1150-05L16	11.5~11.99	60.0	16	78	126	48	2102203	2502035
S10-G1200-05L16	12.0~12.49	62.5	16	82	130	48	2102203	2502035
S10-G1250-05L16	12.5~12.99	65.0	16	85	133	48	2102204	2502035
S10-G1300-05L16	13.0~13.49	67.5	16	88	136	48	2102204	2502035
S10-G1350-05L16	13.5~13.99	70.0	16	91	139	48	2102204	2502035
S10-G1400-05L16	14.0~14.49	72.5	16	94	142	48	2102205	2502036
S10-G1450-05L16	14.5~14.99	75.0	16	97	145	48	2102205	2502036
S10-G1500-05L20	15.0~15.99	80.0	20	104	154	50	2102205	2502036
S10-G1600-05L20	16.0~16.99	85.0	20	111	161	50	2102206	2502036
S10-G1700-05L20	17.0~17.99	90.0	20	117	167	50	2102206	2502036
S10-G1800-05L25	18.0~18.99	95.0	25	123	179	56	2102225	2502037
S10-G1900-05L25	19.0~19.99	100.0	25	130	186	56	2102207	2502037
S10-G2000-05L25	20.0~20.99	105.0	25	136	192	56	2102207	2502037
S10-G2100-05L25	21.0~21.99	110.0	25	142	198	56	2102208	2502037
S10-G2200-05L25	22.0~22.99	115.0	25	148	204	56	2102208	2502037
S10-G2300-05L25	23.0~23.99	120.0	25	155	211	56	2102208	2502037
S10-G2400-05L32	24.0~24.99	125.0	32	162	222	60	2102209	2502038
S10-G2500-05L32	25.0~25.99	130.0	32	168	228	60	2102209	2502038
S10-G2600-05L32	26.0~26.99	135.0	32	175	235	60	2102210	2502038
S10-G2700-05L32	27.0~27.99	140.0	32	181	241	60	2102210	2502038
S10-G2800-05L32	28.0~28.99	145.0	32	187	247	60	2102211	2502039
S10-G2900-05L32	29.0~29.99	150.0	32	193	253	60	2102211	2502039
S10-G3000-05L32	30.0~30.99	155.0	32	200	260	60	2102211	2502039
S10-G3100-05L32	31.0~31.99	160.0	32	206	266	60	2102212	2502040
S10-G3200-05L32	32.0~32.99	165.0	32	212	272	60	2102212	2502040
S10-G3300-05L32	33.0~33.99	170.0	32	219	279	60	2102212	2502040
S10-G3400-05L40	34.0~34.99	175.0	40	226	296	70	2102213	2502040
S10-G3500-05L40	35.0~35.99	180.0	40	232	302	70	2102213	2502040
S10-G3600-05L40	36.0~36.99	185.0	40	238	308	70	2102213	2502040
S10-G3700-05L40	37.0~37.99	190.0	40	245	315	70	2102214	2502041
S10-G3800-05L40	38.0~38.99	195.0	40	251	321	70	2102214	2502041
S10-G3900-05L40	39.0~39.99	205.0	40	264	334	70	2102214	2502041
S10-G4000-05L40	40.0~40.99	205.0	40	264	334	70	2102214	2502041
S10-G4100-05L40	41.0~41.99	210.0	40	270	340	70	2102214	2502041
S10-G4200-05L40	42.0~42.99	215.0	40	276	346	70	2102214	2502041
S10-G4300-05L40	43.0~43.99	220.0	40	282	352	70	2102214	2502041
S10-G4400-05L40	44.0~44.99	225.0	40	289	359	70	2102214	2502041
S10-G4500-05L50	45.0~45.99	230.0	50	297	377	80	2102214	2502041
S10-G4600-05L50	46.0~46.99	235.0	50	303	383	80	2102214	2502041
S10-G4700-05L50	47.0~47.99	240.0	50	310	390	80	2102214	2502041
S10-G4800-05L50	48.0~48.99	245.0	50	316	396	80	2102214	2502041
S10-G4900-05L50	49.0~49.99	250.0	50	322	402	80	2102214	2502041
S10-G5000-05L50	50.0~50.99	255.0	50	328	408	80	2102214	2502041
S10-G5100-05L50	51.0~51.99	260.0	50	335	415	80	2102214	2502041
S10-G5200-05L50	52.0~52.99	265.0	50	341	421	80	2102214	2502041
S10-G5300-05L50	53.0~53.99	270.0	50	347	427	80	2102214	2502041
S10-G5400-05L50	54.0~54.99	275.0	50	353	433	80	2102214	2502041

S10-G HELICAL FLUTE HOLDER WITH ONE FLAT SHANK

侧固柄螺旋槽S钻刀杆

- 内冷却结构, 优良冷却效果与排屑性能;
 - 便捷与高精度的刀片接口, 可在线更换刀片;
 - 侧固式刀柄, 设有3D、5D、8D系列。
- Internal cooling structure, excellent cooling effect and chip removal performance;
 - Convenient and high-precision blade interface, the blade can be replaced directly;
 - Side-locked tool holder, with 3D, 5D, 8D series.



单位(Unit): mm

型号 MODEL	DC	尺寸 SIZE					配件 ACCESSORIES	
		LU	DCON	LF	OAL	LS		
S10-G1000-08L16	10.0~10.49	84.0	16	100	148	48	2102223	2502035
S10-G1050-08L16	10.5~10.99	88.0	16	105	153	48	2102223	2502035
S10-G1100-08L16	11.0~11.49	92.0	16	110	158	48	2102203	2502035
S10-G1150-08L16	11.5~11.99	96.0	16	114	162	48	2102203	2502035
S10-G1200-08L16	12.0~12.49	100.0	16	119	167	48	2102203	2502035
S10-G1250-08L16	12.5~12.99	104.0	16	124	172	48	2102204	2502035
S10-G1300-08L16	13.0~13.49	108.0	16	128	176	48	2102204	2502035
S10-G1350-08L16	13.5~13.99	112.0	16	133	181	48	2102204	2502035
S10-G1400-08L16	14.0~14.49	116.0	16	138	186	48	2102205	2502036
S10-G1450-08L16	14.5~14.99	120.0	16	142	190	48	2102205	2502036
S10-G1500-08L20	15.0~15.99	128.0	20	152	202	50	2102205	2502036
S10-G1600-08L20	16.0~16.99	136.0	20	162	212	50	2102206	2502036
S10-G1700-08L20	17.0~17.99	144.0	20	171	221	50	2102206	2502036
S10-G1800-08L25	18.0~18.99	152.0	25	180	236	56	2102225	2502037
S10-G1900-08L25	19.0~19.99	160.0	25	190	246	56	2102207	2502037
S10-G2000-08L25	20.0~20.99	168.0	25	199	255	56	2102207	2502037
S10-G2100-08L25	21.0~21.99	176.0	25	208	264	56	2102208	2502037
S10-G2200-08L25	22.0~22.99	184.0	25	217	273	56	2102208	2502037
S10-G2300-08L25	23.0~23.99	192.0	25	227	283	56	2102208	2502037
S10-G2400-08L32	24.0~24.99	200.0	32	237	297	60	2102209	2502038
S10-G2500-08L32	25.0~25.99	208.0	32	246	306	60	2102209	2502038
S10-G2600-08L32	26.0~26.99	216.0	32	256	316	60	2102210	2502038
S10-G2700-08L32	27.0~27.99	224.0	32	265	325	60	2102210	2502038
S10-G2800-08L32	28.0~28.99	232.0	32	274	334	60	2102211	2502039
S10-G2900-08L32	29.0~29.99	240.0	32	283	343	60	2102211	2502039
S10-G3000-08L32	30.0~30.99	248.0	32	293	353	60	2102211	2502039
S10-G3100-08L32	31.0~31.99	256.0	32	302	362	60	2102212	2502040
S10-G3200-08L32	32.0~32.99	264.0	32	311	371	60	2102212	2502040
S10-G3300-08L32	33.0~33.99	272.0	32	321	381	60	2102212	2502040
S10-G3400-08L40	34.0~34.99	280.0	40	331	401	70	2102213	2502040
S10-G3500-08L40	35.0~35.99	288.0	40	340	410	70	2102213	2502040
S10-G3600-08L40	36.0~36.99	296.0	40	349	419	70	2102213	2502040
S10-G3700-08L40	37.0~37.99	304.0	40	359	429	70	2102214	2502041
S10-G3800-08L40	38.0~38.99	312.0	40	368	438	70	2102214	2502041
S10-G3900-08L40	39.0~39.99	328.0	40	387	457	70	2102214	2502041